UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,030	12/11/2001	Philip David Steiner	026-0013	6289

22120   7590   09/01/2006

ZAGORIN O'BRIEN GRAHAM LLP
7600B NORTH CAPITAL OF TEXAS HIGHWAY
SUITE 350
AUSTIN, TX 78731

EXAMINER
TSE, YOUNG TOI

ART UNIT	PAPER NUMBER
2611	

DATE MAILED: 09/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)
Office Action Summary	10/015,030	STEINER ET AL.
	Examiner	Art Unit	
	YOUNG T. TSE	2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _16 June 2006_.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1-43_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1, 3-5, 9-16, 18-37 and 39-43_ is/are rejected.

7)☒ Claim(s) _2,6-8,17 and 38_ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____ .

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see pages 6-7, filed June 16, 2006, with respect to claims 2, 6 and 7 have been fully considered and are persuasive. The rejection of claims 2, 6 and 7 has been withdrawn.

2. Applicant's arguments filed June 16, 2006 have been fully considered but they are not persuasive.

Regarding claim 1, the Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest signal strength, signal strength threshold levels, or indications as claimed and does not teach or suggest determining a count value according to an indication of a comparison of signal strength of a plurality of data bits of an input data stream to a signal strength threshold level, as required by claim 1.

Regarding claim 28, The Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest signal strength, signal threshold levels, or indications as claimed and does not teach or suggest determining that a loss-of-signal condition exists if a predetermined number of the plurality of data bits have a signal strength below the signal threshold level, as required by claim 28.

Regarding claim 29, the Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest

signal strength, threshold signal strength levels, or indications as claimed and does not teach or suggest asserting a loss-of-signal indication if a number samples, over a predetermined time period, have a signal strength less than the threshold signal strength level, is more than a predetermined value, as required by amended claim 29.

Regarding claim 30, the Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest signal strength magnitude, signal strength threshold levels, or indications as claimed and does not teach or suggest a counter circuit coupled to count according to an output of the sample circuit, as required by claim 30.

Regarding claim 42, the Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest signal strength magnitude or signal strength threshold levels as claimed and does not teach or suggest means for determining that the loss-of-signal condition exists if a predetermined number of the data bits have a signal strength magnitude below the signal threshold level, as required by claim 42.

Regarding claim 43, the Applicants argue that the difference signals, decision threshold signals, and decision circuit output signals of Loinaz fail to teach or suggest signal strength magnitude, a threshold signal strength level, or indication as claimed and does not teach or suggest means for asserting a loss-of-signal indication if a number of samples having signal strength less than the threshold signal strength level is less than a predetermined value, as required by claim 43.

Regarding independent claims 1, 28-30 and 42-43, although Loinaz does not

explicitly show or suggest that the input data 102 and the decision threshold 304 shown

in Figure 3 of the LOS detector 300 include signal strength, magnitude and threshold

signal strength level, inherently, voltage values or levels used to represent digital

signals include signal strength or magnitude or threshold signal strength level, for

example, if a logic "0" in the input data signal corresponds to a signal level of 0 volts and

if a logic "1" corresponds to a signal level of 5 volts, then typical values of the main and

auxiliary decision threshold signals would be 2.5 and 3.0 volts, respectively, with

Δ=0.5V. See col. 4, lines 46-50. Therefore, the differential amplifier(s) 308 compares

the signal strength or magnitude of the input data 102 and the signal strength level of

the decision threshold 304.

Regarding claim 1, comparing signal strength of a plurality of data bits (1's and

0's) of the input data 102 to a signal strength threshold level of the decision threshold

304 by the differential amplifiers 308 and generating an indication thereof by the XOR

gate 317; determining a count value by the counter 321 according to the indication; and

generating a loss-of-signal indication 136 by the OR gate 315 according to the count

value. Therefore, Loinaz discloses all the claimed limitations as recited in claim 1.

Regarding claim 28, as discussed in claim 1 above, determining the loss-of-

signal condition by the OR gate 315 is based on a predetermined number of the plurality

of bits (1's and 0's) of the signal strength of the input data 102 compared with the signal

strength level of the decision threshold 304 by the differential amplifiers 208. Therefore,

Loinaz discloses all the claimed limitations as recited in claim 28. Also see claim 42,

the claimed subject matter of claim 42 is similar to claim 28 for the same reasons set

forth described in claim 28. Therefore, Loinaz discloses all the claimed limitations as

recited in claim 42.

Regarding claim 29, asserting or de-asserting the loss-of-signal indication by the

OR gate 315 is based on a number samples by the flip-flop circuits 312, over a

predetermined time period compared by the differential amplifiers 308 of the signal

strength of the input data 102 with the signal strength level of the decision threshold

304, is more then a predetermined value. See col. 5, lines 4-10. Therefore, Loinaz

discloses all the claimed limitations as recited in claim 29. Also see claim 43, the

claimed subject matter of claim 43 is similar to claim 29 for the same reasons set forth

described in claim 29. Therefore, Loinaz discloses all the claimed limitations as recited

in claim 43.

Regarding claim 30, the counter circuit 321 is coupled to the outputs of the

sample circuits 312. Therefore, Loinaz discloses all the claimed limitations as recited in

claim 30.

Claim Rejections - 35 USC § 102

3.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by
another filed in the United States before the invention by the applicant for patent or (2) a patent
granted on an application for patent by another filed in the United States before the invention by the
applicant for patent, except that an international application filed under the treaty defined in section
351(a) shall have the effects for purposes of this subsection of an application filed in the United States

only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4.   Claims 1, 3-5, 9-10, 14-16, 18-35, 37 and 39-43 are rejected under 35

U.S.C. 102(e) as being anticipated by Loinaz et al. US 6,377,082 B1 (hereinafter

"Loinaz").

Loinaz discloses a loss-of-signal (LOS) detector circuit in Figure 3 for use in a

clock and data recovery circuit shown in Figure 1. In Figure 3, the LOS detector circuit

comprises a transition detector 301 and an inconsistency detector 303 for detecting

data bits of an input data 102 with decision thresholds to a logic circuit 315 for

generating LOS indication.

With respect to claims 1, 28-31 and 42-43, the operation of comparing signal

strength of the plurality of data bits of the input data stream 102 to a signal strength

threshold level to generate an indication thereof and determining a count value

according to the indication can be performed either by the transition detector 301 (see

column 2, lines 9-20) or the inconsistency detector 303 (see column 4, line 35 to column

5, line 11); the operation of generating the LOS indication according to the count value

is performed by the logic circuit 315.

With respect to claims 3, 14 and 39, the operation of sampling the input data

stream 102 is performed by the D Flip-Flops or counters 312. Although Loinaz does not

explicitly show or suggest that the sampling rate of the recovered clock 128 from the

voltage controlled oscillator (VCO) 126 of the clock and data recovery circuit of Figure 1

is below or higher than the data rate of the input data stream 102, it is well known to a

person skill in the art to recognize that the frequency of the VOC 126 within a phase

locked loop (PLL) circuit is sometimes frequency divided/multiplied by an integer value

of a divider/multiplier for frequency integrating/interpolating the sampling rate of the

oscillation frequency.

With respect to claims 4 and 18, the LOS indication 136 is compared by the logic

circuit 135 between the count value generated by the counter 321 and a threshold

count, which is generated by the transition detector 301.

With respect to claims 5, 23 and 40-41, although Loinaz does not explicitly show

or suggest that the threshold count is programmable, it is the choice of design to

determine whether the threshold count is a fixed threshold count or programmable by

other devices.

With respect to claims 32-34, the threshold count is variable or increases when

the LOS indication is asserted because the transition detector 301 detects transitions in

a specified time period.

With respect to claims 9-10, the logic circuit 317 latches a first value in the

register 312 when the signal strength of a data bit of the input data stream 102 is above

the signal strength threshold level 304 (main) and latches a second value in the register

312 when the signal strength of the data bit 102 is below the signal strength threshold

level 304 (Aux), wherein the amplifiers 308 provide the amplification signals to the

registers 312.

With respect to claims 15-16 and 37, the logic circuit 317 is coupled to the

registers 312 and provides a count control signal to the counter 321 to determine the

count value having signal strength above or below the decision threshold 304.

With respect to claims 19-22 and 24-26, the transition detector 301 (or 201 shown in Figure 2) detects a stuck-at-one or a stuck-at-zero condition. The transition detector 301 is a logic circuit that samples the input data signal 102 using the recovered clock signal 128 and counts the number of 0-to-1 and 1-to-0 transitions occurred in a specified time period. See column 2, lines 9-16. Although Loinaz does not explicitly show or suggest that the comparing is performed for each of four phases of a clock before a decision is made that the LOS condition exists, it is inherent and well known to a person skill in the art to know that the recovered clock 128 is controlled the VCO circuit 126 of the PLL circuit in Figure 1, wherein the phase detector 120 of the PLL circuit detects the incoming frequency and the feedback frequency a certain period of time until the phases are locked in order generate to a recovered clock signal.

With respect to claim 27, the decision threshold(s) is defined by an analog signal on an input terminal of the amplifiers 308.

With respect to claim 35, wherein the sampling circuits 306 include amplifiers 308 for amplifying the input data stream 102 and the offset of the main and auxiliary decision thresholds.

Claim Rejections - 35 USC § 103

5.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6.   This application currently names joint inventors. In considering patentability of

the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

the various claims was commonly owned at the time any inventions covered therein

were made absent any evidence to the contrary. Applicant is advised of the obligation

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g)

prior art under 35 U.S.C. 103(a).

7.   Claims 11-13 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Loinaz et al. as applied to claims 1, 9-10 and 30 above in view of Coffey et al. US

6,492,929 B1 (hereinafter "Coffey").

        Loinaz fails to show or suggest that the offset of the decision thresholds 304

supplied to the amplifiers 308 comprises a first portion of a digital value indicative of the

offset is supplied to a first DAC and a second portion of the digital value is supplied to a

second DAC, the offset being formed from outputs of the first and second DACS,

wherein at least a portion of the value supplied to the first and second DACS overlap, as

recited in claims 11-13 and 36.

        Coffey discloses a signal comparison and level change detection circuit in Figure

5 comprising two comparators or amplifiers 20 and 22 for comparing an input signal with

an upper threshold value and a lower threshold value, respectively to generate a time

interval or a timing recovery signal to time circuitry at stage 4 of Figure 3 via a threshold

transition and direction logic circuit at stage 3. As shown in Figure 5, a first portion of a

digital count value outputted from the counter 28 is supplied to a first D-to-A converter 24 to generate the upper threshold lever and a second portion of the digital count value is supplied to a second D-to-A converter 26 to generate the lower threshold level to the comparators 20 and 22,respectively, wherein at least a portion of the count value supplied to the first and second D-to-A converters overlap.

Therefore, it would have been obvious to one of ordinary skill in the art to include two digital to analog converters internal or external to Loinaz's inconsistency detector 303 for converting a digital value into two analog threshold levels as taught by Coffey in order to generate an offset of the upper and lower threshold levels to the comparators or amplifiers 308 for generating timing recovery clock signals prior the determination of the LOS indication.

Allowable Subject Matter

8.   Claims 2, 6-8, 17 and 38 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

9.   The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Abidin et al. discloses a loss-of-signal detector comprising a comparator to cancel an offset level between an input branch and a threshold branch.

10.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to YOUNG T. TSE whose telephone number is (571) 272-

3051. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

YOUNG T. TSE
Primary Examiner
Art Unit 2611